Section 6 of the Health and Safety at Work Act Additional Product Safety Information

This Safety Data Sheet does not form part of the label approved under the Control of Pesticides Act 1986. Following the instructions on the pesticide Product Label for the specified uses should ensure that the product is used safety and efficaciously for those uses.

SAFETY DATA SHEET

1. IDENTIFICATION OF SUBSTANCE/ PREPARATION AND COMPANY Identification of the Substance or Preparation Tradename: Paradise Company Identification Company: Pan Agriculture Ltd 8 Cromwell Mews, Station Road, St Ives Cambs, PE28 5HJ Tel: (01480) 467790 Fax: (01480) 467041 Emergency Phone: 0870 600 6266

2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS- No.	Hazard Symbols	Risk Phrases	Concentrat ion (% w/w)
flazasulfuron	10404 0-78-0	Ν	50/53	25

3. HAZARDS IDENTIFICATION

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

4. FIRST AID MEASURES

Inhalation: Remove the victim into fresh air.

Respiratory problems: Consult a doctor/medical service *Skin contact:* Rinse with water. Soap may be used. Take victim to a doctor if irritation persists

Eye contact: Rinse with water. Take victim to an ophtalmologist if irritation persists

After ingestion: Rinse mouth with water. Do not induce vomiting Consult a doctor/medical service if you feel unwell.

5. FIRE FIGHTING MEASURES

Suitable extinguishing media: Water spray, Polyvalent foam, ABC powder, Carbon dioxide

Unsuitable extinguishing media: Solid water jet ineffective as extinguishing medium

Special exposure hazards: On heating/burning: release of toxic and corrosive gases/vapours e.g.: nitrous vapours, hydrofluoric acid, sulphur oxides, carbon monoxide - carbon dioxide Instructions: Dilute toxic gases with water spray. Take account of environmentally hazardous firefighting water. Use firefighting water moderately and contain it.

Special protective equipment for fire-fighters: Heat/fire exposure: compressed air/oxygen apparatus. Dust cloud production: compressed air/oxygen apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: See sections 8 and 13

Environmental precautions: Prevent soil and water pollution Prevent spreading in sewers. Contain released substance, pump into suitable containers. Plug the leak, cut off the supply. Dam up the solid spill. Knock down/dilute dust cloud with water spray *Methods for cleaning up:* Stop dust cloud by covering with sand/earth. Scoop solid spill into closing containers Carefully collect the spill/leftovers. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling

7. HANDLING AND STORAGE

Handling: Observe normal hygiene standards. Avoid raising dust. Do not discharge the waste into the drain. Clean contaminated clothing

Storage: Keep container tightly closed. Keep only in the original container. Meet the legal requirements.

Keep away from: heat sources Storage temperature: N.D. °C Quantity limits: N.D. kg Storage life: N.D. days Materials for packaging : suitable : no data available to avoid : no data available Specific use(s): See information supplied by the manufacturer for the identified use(s)

8. EXPOSURE CONTROLS/ PERSONAL PROTECTION Exposure limit values:

Occupational exposure: FLAZASULFURON 25% WG TLV-TWA : not listed TLV-STEL : not listed TLV-Ceiling : not listed **OES-LTEL** : not listed **OES-STEL** : not listed **MEL-LTEL** : not listed **MEL-STEL** : not listed MAK : not listed TRGS900 : not listed MAC-TGG 8 h : not listed MAC-TGG 15 min. : not listed MAC-Ceiling : not listed VME-8 h : not listed VLE-15 min. : not listed GWBB-8 h : not listed GWK-15 min. : not listed Momentary value : not listed EC : not listed EC-STEL : not listed Sampling methods: NO DATA AVAILABLE Exposure controls: Occupational exposure controls: Work under local exhaust/ventilation Personal protective equipment: a) Respiratory protection: Dust production: dust mask with filter type P1 b) Hand protection: Gloves. Suitable materials: Rubber, PVC, Plastics. Breakthrough time: N.D. c) Eye protection: Safety glasses. In case of dust production: protective goggles d) Skin protection: Protective clothing. Suitable materials: Rubber **PVC**, Plastics Environmental exposure controls: see sections 6 and 13

9. PHYSICAL AND CHEMICAL PROPERTIES

General information: Appearance (at 20°C) : Grains Odour : Cinnamon Colour : Brown pH value (at 1%) : 5.06 Boiling point/boiling range :N.D. °C Flash point/flammability : N.D. °C Explosion limits (explosive properties) :N.D. vol% Oxidising properties : N.D. Vapour pressure (at 20°C) : N.D. hPa Vapour pressure (at 50°C) : N.D. hPa Relative density (at 20°C) : 0.84 Water solubility : N.D. g/100 ml Soluble in : Acetone, ethylacetate, dichloromethane Relative vapour density : N.D. Viscosity (at °C) : N.D. **Pa.s** Partition coefficient n-octanol/water : N.D. Evaporation rate ratio to butyl acetate : N.D. ratio to ether : N.D. Melting point/melting range : N.D. °C Auto-ignition temperature : N.D. °C Saturation concentration : N.D. g/m3 Specific conductivity : N.D. pS/m

10. STABILITY AND REACTIVITY

Conditions to avoid: Stable under normal conditions Materials to avoid: Keep away from: heat sources Hazardous decomposition products: On heating/burning: release of toxic and corrosive gases/vapours e.g.: nitrous vapours, hydrofluoric acid, sulphur oxides, carbon monoxide carbon dioxide

11. TOXICOLOGICAL INFORMATION Acute toxicity: LD50 oral rat : 4800 mg/kg LD50 dermal rat : > 2000 mg/kg LD50 dermal rabbit : N.D. mg/kg LC50 inhalation rat : > 6.17 mg/l/4 h LC50 inhalation rat : N.D. ppm/4 h Chronic toxicity: EC carc. cat. : not listed EC muta. cat. : not listed EC repr. cat. : not listed Carcinogenicity (TLV) : not listed Carcinogenicity (MAC) : not listed Carcinogenicity (VME) : not listed Carcinogenicity (GWBB) : not listed Carcinogenicity (MAK) : not listed Mutagenicity (MAK) : not listed Teratogenicity (MAK) : not listed IARC classification : not listed Routes of exposure: ingestion, inhalation, eyes and skin Acute effects/symptoms: Unlikely to cause harmful effects Chronic effects: Not listed in carcinogenicity class (IARC, EC, TLV, MAK) Not listed in mutagenicity class (EC,MAK) Not classified as toxic to reproduction (EC) Unlikely to cause harmful effects

12 ECOLOGICAL INFORMATION

Ecotoxicity: LC50 (96 h) : > 100 mg/l (SALMO GAIRDNERI/ NCORHYNCHUS MYKISS) EC50 (48 h) : > 100 mg/l (DAPHNIA MAGNA) EC50 (72 h) : 0.025 mg/l (SELENASTRUM CAPRICORNUTUM) Effect on waste water purification: no data available Mobility: Volatile organic compounds (VOC): 0% No data available For other physicochemical properties see heading 9 Persistence and degradability: biodegradation BOD5 : N.D. % ThOD water : - No data available soil : T ½: N.D. days 12.4 Bioaccumulative potential: log Pow : N.D. BCF: N.D. Results of PBT assessment: Not applicable, based on available data. Other adverse effects: WGK : 2 (Classification based on the components in compliance with Verwaltungsvorschrift wassergefährdender Stoffe (VwVwS) of 17 May 1999) Effect on the ozone layer: Not dangerous for the ozone layer (1999/45/EC) Greenhouse effect: no data available

13. DISPOSAL CONSIDERATIONS

Provisions relating to waste: Waste material code (91/689/EEC, Council Decision 2001/118/EC, O.J. L47 of 16/2/2001): 07 04 13* (solid wastes containing dangerous substances) Hazardous waste (91/689/EEC)

Disposal methods: Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. Do not discharge into surface water.

Packaging/Container: Waste material code packaging (91/689/EEC, Council Decision 2001/118/EC, O.J. L47 of 16/2/2001): 15 01 10* (packaging containing residues of or contaminated by dangerous substances)

14. TRANSPORT INFORMATION

Classification of the substance in compliance with UN Recommendations: UN number : 3077 CLASS : 9 SUB RISKS : -PACKING GROUP : III ADR (transport by road): CLASS : 9 PACKING GROUP : III **CLASSIFICATION CODE : M7** DANGER LABEL TANKS : 9 DANGER LABEL PACKAGES: 9 **PROPER SHIPPING NAME :** Environmentally hazardous substance, solid, n.o.s. (flazasulfuron) RID (transport by rail): **CLASS: 9** PACKING GROUP : III **CLASSIFICATION CODE : M7** DANGER LABEL TANKS : 9 DANGER LABEL PACKAGES: 9 **PROPER SHIPPING NAME :** Environmentally hazardous substance, solid, n.o.s. (flazasulfuron) ADNR (transport by inland waterways): **CLASS**: 9 PACKING GROUP : III **CLASSIFICATION CODE: M7** DANGER LABEL TANKS : 9 DANGER LABEL PACKAGES : 9 IMDG (maritime transport): **CLASS: 9** SUB RISKS : -PACKING GROUP : III MFAG:-EMS : F-A, S-F MARINE POLLUTANT : P ICAO (air transport): **CLASS**: 9 SUB RISKS : -PACKING GROUP : III **PACKING INSTRUCTIONS PASSENGER AIRCRAFT :**

911/Y911 PACKING INSTRUCTIONS CARGO AIRCRAFT : 911

Special precautions : none Limited quantities (LQ) :

When substances and their packaging meet the conditions established by ADR/RID/ADNR in chapter 3.4, **only** the following prescriptions shall be complied with: each package shall display a diamond-shaped figure with the following inscription: 'UN 3077' or, in the case of different goods with different identification numbers within a single package: the letters 'LQ'

15. REGULATORY INFORMATION

EU legislation: Classification according to directives 67/548/EEC, 1999/45/EC and 2006/8/EC R50/53 : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment S35 : This material and its container must be disposed of in a safe way S57 : Use appropriate containment to avoid environmental contamination **15.2 National provisions: Germany:** WGK : 2 (Classification based on the components in compliance with Verwaltungsvorschrift wassergefährdender Stoffe (VwVwS) of 17 May 1999) Dangerous for the environment

16. OTHER INFORMATION

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text. N.A. = NOT APPLICABLE N.D. = NOT DETERMINED (*) = INTERNAL CLASSIFICATION (NFPA) PBT-substances = persistent, bioaccumulative and toxic substances

Exposure limits:

TLV : Threshold Limit Value - ACGIH USA WEL : Workplace Exposure Limits - United Kingdom TRGS 900 : Technische Regel für Gefahrstoffe 900 (Arbeitsplatzgrenzwerte) - Germany MAK : Maximale Arbeitsplatzkonzentrationen - Germany MAC : Maximale aanvaarde concentratie - The Netherlands VME : Valeurs limites de Moyenne d'Exposition - France VLE : Valeurs limites d'Exposition à court terme - France GWBB : Grenswaarde beroepsmatige blootstelling - Belgium GWK : Grenswaarde kortstondige blootstelling - Belgium EC : Indicative occupational exposure limit values - directive 2000/39/EC I: Inhalable fraction = T: Total dust = E: Einatembarer Aerosolanteil R: Respirable fraction = A: Alveolengängiger Aerosolanteil/Alveolar dust C: Ceiling limit a: aerosol r: rook/Rauch (fume) d: damp (vapour) st: stof/Staub (dust) du: dust ve: vezel (fibre) fa: Faser (fibre) va: vapour fi: fibre om: oil mist fu: fume on: olienevel/Ölnebel (oil mist) p: poussière (dust) part: particles Chronic toxicity: K: List of the carcinogenic substances and processes - The Netherlands Full text of any R phrases referred to under headings 2 and 3: R50/53 : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment